



Pipe Lifting Clamp TPH

Product information

General: Horizontal pipe lifting clamp TPH/TPH-HD - Non marking. Clamp for horizontal lifting and transporting of steel and concrete pipes without damaging the product.

Model THP: Standard clamp

Model THP-HD: special for extreme heavy duty lifting situations

Features:

- TPH Jaw is covered with a special high quality pressure resistant plastic.
- TPH-HD Jaw is covered with special high quality extreme high pressure resistant plastic.
- Maintenance-friendly clamps, plastic pressure resistant cover is easy to change.
- TPH-HD has special handle for easy handling.
- Compact design and high lifting capacity.
- Lightweight design for easy handling.
- Tough quality heavy duty body.

Marking: According to standard, Type, serial number, WLL, Jaw opening and CE marking.

Temperature range: TPH: - 40°C to + 50°C. / TPH-HD - 30°C to + 80°C.

Standard: EN 13155

| Part Code | Code | WLL ton | Jaw width mm | V mm | S mm | W mm | U mm | T mm | X mm | Y mm | Weight kg |
|-----------------|-----------|---------|--------------|------|------|------|------|------|------|------|-----------|
| 502100150400740 | 1.5 TPH | 1.5 | 40 | 120 | 70 | 50 | 185 | 16 | 41 | 25 | 2 |
| 502100300400740 | 3 TPH | 3 | 40 | 120 | 70 | 50 | 185 | 16 | 41 | 25 | 2 |
| 502100400500740 | 4 TPH | 4 | 50 | 140 | 70 | 58 | 204 | 26 | 41 | 25 | 3 |
| 502100500600740 | 5 TPH-HD | 5 | 60 | 309 | 100 | 85 | 232 | 26 | 80 | 20 | 6.7 |
| 502100600500740 | 6 TPH | 6 | 50 | 140 | 70 | 58 | 204 | 26 | 41 | 25 | 3 |
| 502100800700740 | 8 TPH | 8 | 70 | 140 | 70 | 58 | 224 | 26 | 45 | 25 | 3.4 |
| 502101000700740 | 10TPH | 10 | 70 | 140 | 70 | 58 | 224 | 26 | 85 | 45 | 5 |
| 502101000600740 | 10 TPH-HD | 10 | 60 | 319 | 100 | 85 | 236 | 36 | 80 | 30 | 9.7 |
| 502101200700740 | 12TPH | 12 | 70 | 140 | 70 | 58 | 224 | 26 | 85 | 45 | 7 |
| 502101500700740 | 15TPH | 15 | 70 | 155 | 70 | 76 | 250 | 26 | 100 | 60 | 9 |
| 502102000700740 | 20TPH | 20 | 70 | 155 | 70 | 76 | 250 | 26 | 100 | 60 | 9 |
| 502102000600740 | 20 TPH-HD | 20 | 60 | 362 | 100 | 105 | 285 | 51 | 80 | 35 | 14 |
| 502103000600740 | 30 TPH-HD | 30 | 60 | 387 | 100 | 115 | 310 | 58 | 80 | 40 | 19 |
| 502106000600740 | 60 TPH-HD | 60 | 60 | 418 | 100 | 115 | 350 | 85 | 80 | 60 | 28.5 |

Blueprint

