



## Compacted Master Link Grade 8

### Product information

Can be use with chains and wire ropes.

For one or two legs slings

**Material:** Alloy steel

**Marking:** According to standard

**Finish:** Painted

**Standard:** EN 1677-4

**Safety factor:** 4:1

**Grade:** 8

| Part Code    | WLL ton | Chain 1 leg | Chain 2 legs | A mm | B mm | Ø D mm | Weight kg |
|--------------|---------|-------------|--------------|------|------|--------|-----------|
| 401100200250 | 2       | 6/7         | -            | 100  | 60   | 13     | 0.3       |
| 401100320250 | 3.15    | 8           | 6/7          | 120  | 70   | 16     | 0.6       |
| 401100530250 | 5.3     | 10          | 8            | 135  | 75   | 18     | 0.8       |
| 401100690250 | 6.9     | 13          | 10           | 150  | 90   | 20     | 1.1       |
| 401100800250 | 8       | -           | -            | 150  | 90   | 22     | 1.4       |
| 401101160250 | 11.6    | 16          | 13           | 170  | 95   | 25     | 2         |
| 401101300250 | 13      | -           | -            | 200  | 120  | 28     | 3         |
| 401101600250 | 16      | 20          | 16           | 200  | 120  | 30     | 3.5       |
| 401102120250 | 21.2    | 22          | -            | 250  | 150  | 36     | 6.3       |
| 401102770250 | 27.7    | 26          | 20           | 250  | 150  | 38     | 7         |
| 401103210250 | 32.1    | -           | -            | 280  | 170  | 45     | 9.6       |
| 401103800250 | 38      | 32          | 22           | 300  | 200  | 45     | 12        |
| 401105000250 | 50      | -           | 26           | 300  | 200  | 50     | 15.1      |
| 401106300250 | 63      | -           | 32           | 350  | 200  | 55     | 20.5      |
| 401110000250 | 100     | -           | -            | 400  | 250  | 70     | 39.3      |
| 401112500250 | 125     | -           | -            | 400  | 250  | 80     | 52.7      |

# Blueprint

