

Wire Rope U-Bolt Clip Type PC741 POWERTEX



Product information



Wire rope clips for rigging of static loads.
Chrome 6 free.

Material: Mild steel

Marking: According to standard, Recommended rope size in mm

Finish: Electrogalvanized

Standard: DIN 741

Note: Follow the fitting instruction of wire rope clip drawing

Warning: Not for lifting!

| Part Code | Code | Rope Ø range | A mm | B mm | C mm | D mm | E mm | F mm | G mm | Weight kg | Delivery time |
|--------------|----------|--------------|------|------|------|------|------|------|------|-----------|---------------|
| 121200300230 | PC741-3 | 3 | 21 | 10 | 10 | M4 | 9 | 12 | 17 | 0.009 | 2 |
| 121200500230 | PC741-5 | 5 | 23 | 10 | 11 | M5 | 11 | 13 | 20 | 0.014 | 2 |
| 121200600230 | PC741-6 | 6 | 26 | 11 | 12 | M5 | 13 | 15 | 24 | 0.015 | 2 |
| 121200800230 | PC741-8 | 8 | 30 | 15 | 14 | M6 | 16 | 19 | 29 | 0.029 | 2 |
| 121201000230 | PC741-10 | 10 | 34 | 17 | 18 | M8 | 19 | 22 | 35 | 0.057 | 2 |
| 121201100230 | PC741-11 | 11 | 36 | 18 | 19 | M8 | 20 | 22 | 37 | 0.058 | - |
| 121201300230 | PC741-13 | 13 | 42 | 21 | 23 | M10 | 24 | 30 | 46 | 0.114 | 2 |
| 121201400230 | PC741-14 | 14 | 44 | 22 | 23 | M10 | 25 | 30 | 48 | 0.124 | - |
| 121201600230 | PC741-16 | 16 | 50 | 26 | 26 | M12 | 29 | 33 | 53 | 0.183 | 2 |
| 121201900230 | PC741-19 | 19 | 54 | 30 | 29 | M12 | 32 | 38 | 65 | 0.227 | - |
| 121202200230 | PC741-22 | 22 | - | - | - | - | - | - | - | 0.336 | - |
| 121202600230 | PC741-26 | 26 | 65 | 37 | 35 | M14 | 41 | 45 | 83 | 0.393 | 2 |
| 121203000230 | PC741-30 | 30 | 74 | 43 | 37 | M16 | 48 | 50 | 96 | 0.58 | 2 |
| 121203400230 | PC741-34 | 34 | 80 | 50 | 42 | M16 | 52 | 55 | 106 | 0.699 | - |
| 121204000230 | PC741-40 | 40 | 88 | 55 | 45 | M16 | 58 | 60 | 126 | - | - |

Blueprint

