

## Turnbuckle Jaw and Jaw DIN 1480



### Product information



Turnbuckle for tightening ropes.

**Material:** Fe-430 b Steel

**Marking:** According to standard, CE-marked

**Standard:** DIN 1480

**Warning:** Do not use for lifting.

| Part Code    | Length mm | Thread | A mm | B mm | C mm | D mm | E mm | F mm | G mm | H mm | L1 mm | L2 mm | Weight kg |
|--------------|-----------|--------|------|------|------|------|------|------|------|------|-------|-------|-----------|
| 492126000550 | 174-260   | M6     | 12   | 110  | 55   | 7    | 19   | 19   | 12   | 87   | 174   | 260   | 0.09      |
| 492127000550 | 190-270   | M8     | 15   | 110  | 55   | 9    | 23   | 25   | 14   | 95   | 190   | 270   | 0.22      |
| 492131200550 | 222-312   | M10    | 18   | 125  | 68   | 11   | 26   | 25   | 17   | 111  | 222   | 312   | 0.33      |
| 492131000550 | 235-310   | M12    | 21   | 125  | 69   | 15   | 32   | 37   | 24   | 122  | 235   | 310   | 0.58      |
| 492139500550 | 310-395   | M14    | 22   | 140  | 91   | 19   | 37   | 43   | 30   | 155  | 310   | 395   | 1.04      |
| 492143500550 | 332-435   | M16    | 27   | 170  | 91   | 25   | 41   | 48   | 32   | 166  | 332   | 435   | 1.21      |
| 492146000550 | 337-460   | M18    | 27   | 180  | 91   | 25   | 50   | 48   | 38   | 170  | 337   | 460   | 2.02      |
| 492151000550 | 378-510   | M20    | 34   | 200  | 120  | 25   | 50   | 48   | 40   | 200  | 378   | 510   | 2.14      |
| 492158500550 | 445-585   | M22    | 36   | 220  | 120  | 30   | 61   | 55   | 45   | 230  | 445   | 585   | 3.37      |
| 492167200550 | 494-672   | M24    | 39   | 255  | 130  | 31   | 65   | 66   | 52   | 247  | 494   | 672   | 3.77      |
| 492161700550 | 452-617   | M27    | 45   | 255  | 130  | 28   | 72   | 62   | 48   | 226  | 452   | 617   | 6.12      |
| 492167900550 | 514-679   | M30    | 45   | 255  | 130  | 38   | 92   | 79   | 56   | 257  | 514   | 679   | 7.54      |
| 492175500550 | 556-755   | M33    | 48   | 295  | 150  | 38   | 92   | 85   | 60   | 278  | 556   | 755   | 8.94      |
| 492183000550 | 640-830   | M36    | 55   | 295  | 170  | 60   | 97   | 94   | 76   | 297  | 640   | 830   | 12.98     |
| 492180800550 | 594-808   | M39    | 58   | 330  | 170  | 45   | 85   | 86   | 76   | 297  | 594   | 808   | 16.01     |

# Blueprint

