

## Turnbuckle Hook and Hook DIN 1480



### Product information



Turnbuckle for tightening ropes.

**Material:** Fe-430 b Steel

**Marking:** According to standard, CE-marked

**Standard:** DIN 1480

**Warning:** Do not use for lifting.

Part Code	Length mm	Thread	A mm	B mm	C mm	D mm	E mm	L1 mm	L2 mm	Weight kg
492122600580	140-226	M6	12	110	76	50	8	140	226	0.1
492124000580	160-240	M8	15	110	89	52	10	160	240	0.14
492127700580	188-277	M10	18	125	103	62	13	188	277	0.31
492130300580	220-303	M12	21	125	121	65	17	220	303	0.45
492135700580	260-357	M14	24	140	144	82	14	260	357	0.63
492142800580	308-428	M16	27	170	168	100	16.5	308	428	0.97
492146200580	330-462	M20	34	200	185	110	17	330	462	1.6
492153800580	390-538	M22	36	220	216	125	22	390	538	2.2
492157300580	396-573	M24	39	255	225	125	23	396	573	2.92
492160500580	440-605	M27	45	255	250	146	29	440	605	3.87
492160500580	440-605	M30	45	255	250	140	30	440	605	4.25
492162500580	440-625	M33	55	295	250	140	30	440	625	6.01
492168300580	498-683	M36	55	295	288	170	30	498	683	7.81
492176000580	598-760	M39	63	330	288	170	30	598	760	9.4

## Blueprint

