

DIN 763 Long-link Straight Chain Galvanized

Product information



Long-link galvanized steel chain according to DIN 763 and DIN 5685C

Material: Galvanized steel. Optional hot-dip galvanized.

Warning: Do not use for lifting.



| Part Code | Chain diameter | e mm | P mm | Ø mm | Weight kg/m |
|------------------|-----------------------|-----------------|-----------------|-----------------|------------------------|
| 200500200000180 | 2 | 4 | 22 | 2 | 0.06 |
| 200500250000180 | 2.5 | 5 | 24 | 2.5 | 0.1 |
| 200500300000180 | 3 | 6 | 26 | 3 | 0.15 |
| 200500350000180 | 3.5 | 7 | 28 | 3.5 | 0.21 |
| 200500400000180 | 4 | 8 | 32 | 4 | 0.27 |
| 200500450000180 | 4.5 | 9 | 34 | 4.5 | 0.36 |
| 200500500000180 | 5 | 10 | 35 | 5 | 0.4 |
| 200500600000180 | 6 | 12 | 42 | 6 | 0.63 |
| 200500700000180 | 7 | 14 | 49 | 7 | 0.86 |
| 200500800000180 | 8 | 16 | 52 | 8 | 1.16 |
| 200501000000180 | 10 | 20 | 65 | 10 | 1.63 |
| 200501200000180 | 12 | 24 | 78 | 12 | 2.54 |

Blueprint

