



## Industrial Lever Hoist Tiger

### Product information

TRLH – Traditional Manufacturing, Robust and Reliable.

**Marking:** According to standard, CE-marked

**Standard:** EN 13157

<b>Part Code</b>	<b>WLL ton</b>	<b>Lifting height m</b>	<b>Number of falls</b>	<b>A mm</b>	<b>B mm</b>	<b>C mm</b>	<b>D mm</b>	<b>E mm</b>	<b>F1 mm</b>	<b>F2 mm</b>
5007TRL0075015	0.75	1.5	1	128	240	275	158	99	24	38
5007TRL0075030	0.75	3	1	128	240	275	158	99	24	38
5007TRL0100015	1	1.5	1	128	240	295	158	99	28	45
5007TRL0100030	1	3	1	128	240	295	158	99	28	45
5007TRL0150015	1.5	1.5	1	154	360	320	172	104	34	51
5007TRL0150030	1.5	3	1	154	360	320	172	104	34	51
5007TRL0200015	2	1.5	1	154	360	367	172	104	35	53
5007TRL0200030	2	3	1	154	360	367	172	104	35	53
5007TRL0300015	3	1.5	1	182	360	400	195	108	36	56
5007TRL0300030	3	3	1	182	360	400	195	108	36	56
5007TRL0600015	6	1.5	2	242	360	570	195	108	49	70
5007TRL0600030	6	3	2	242	360	570	195	108	49	70

# Blueprint

