

## Steel Wire Rope Verotop

### Product information



**Wire rope construction:** verotop is a very flexible rotation-resistant rope with compacted strands.

#### Features:

- Extremely high breaking force.
- Very good fatigue properties.
- Very high resistance against flattening and wear.
- Especially suitable for multiple layer spooling.

**ISO 4309 Rope Category No:** All Diameters **RCN.23-2.**

**Marking:** According to standard

**Standard:** EN 12385-4

**Note:** Verotop can be used either with or without swivel.

**Fill factor:** 0,738

**RCN:** 23-2

**Tolerance Ø:** +2% to +4%

Tower crane



Mobile crane



Crawler crane



Piling crane



Truck crane



Self-erected crane



Luffing crane



Jib crane




Offshore crane



Deck crane

Knuckle boom crane

Overhead cranes



Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force kN.	Finish	Weight kg/100m
104100806270129	8	1,960	-	-	Galvanized	-
104100906270129	9	1,960	-	-	Galvanized	-
104101006270129	10	1,960	-	-	Galvanized	-
104101105070129	11	1,960	-	-	Bright	-
104101205070129	12	1,960	-	-	Bright	-
104101275070129	12.7	1,960	-	-	Bright	-
104101305070129	13	1,960	-	-	Bright	-
104101405070129	14	1,960	-	-	Bright	-
104101505070129	15	1,960	-	-	Bright	-
104101605070129	16	1,960	-	-	Bright	-
104101705070129	17	1,960	-	-	Bright	-
104101805070129	18	1,960	-	-	Bright	-
104101905070129	19	1,960	-	-	Bright	-
104102005070129	20	1,960	-	-	Bright	-
104102105070129	21	1,960	-	-	Bright	-
104102205070129	22	1,960	-	-	Bright	-
104102245070129	22.4	1,960	-	-	Bright	-
104102305070129	23	1,960	-	-	Bright	-

104102405070129	24	1,960	-	-	Bright	-
104102505070129	25	1,960	-	-	Bright	-
104102545070129	25.4	1,960	-	-	Bright	-
104102605070129	26	1,960	-	-	Bright	-
104102705070129	27	1,960	-	-	Bright	-
104102805070129	28	1,960	-	-	Bright	-
104102865070129	28.6	1,960	-	-	Bright	-
104102905070129	29	1,960	-	-	Bright	-
104103005070129	30	1,960	-	-	Bright	-
104103105070129	31	1,960	-	-	Bright	-
104103205070129	32	1,960	-	-	Bright	-
104103305070129	33	1,960	-	-	Bright	-
104103405070129	34	1,960	-	-	Bright	-
104103505070129	35	1,960	-	-	Bright	-
104103605070129	36	1,960	-	-	Bright	-
104103805070129	38	1,960	-	-	Bright	-
104104005070129	40	1,960	-	-	Bright	-
104104105070129	41	1,960	-	-	Bright	-
104104205070129	42	1,960	-	-	Bright	-
104104305070129	43	1,960	-	-	Bright	-
104104405070129	44	1,960	-	-	Bright	-
104104505070129	45	1,960	-	-	Bright	-
104104605070129	46	1,960	-	-	Bright	-

104104805070129	48	1,960	-	-	Bright	-
104105005070129	50	1,960	-	-	Bright	-
104105205070129	52	1,960	-	-	Bright	-
104105405070129	54	1,960	-	-	Bright	-
104105605070129	56	1,960	-	-	Bright	-

## Technical data