



## Chain Sling CSX-476 Grade 10

## **Product information**

**Design:** Chain sling with master link on one end and clevis safety hook on the other end of each leg. ø 19 and 22 mm chain are fitted with eye safety hooks. Other combinations possible on demand.

Dimensions: Ø 6-22 mm (other dimensions on demand).

Material: Alloy steel Marking: According to standard, CE-marked Temperature range: -40°C up to 200°C (up to 380° possible on demand) Standard: EN 818-4 Warning: Not to be heat-treated

Safety factor: 4:1 Grade: 10

Part Code	WLL ton
2414	3
2414	3
2414	3
2414	3
2414	3
2414	3
2414	3

2414	3
2414	3
2414	4
2414	4
2414	4
2414	4
2414	4
2414	4
2414	4
2414	4
2414	4
2414	5.3
2414	5.3
2414	5.3
2414	5.3
2414	5.3
2414	5.3
2414	5.3
2414	5.3
2414	5.3
148969	8
2414	8
2414	8

2414	8
2414	8
2414	8
2414	8
2414	8
2414	8
148970	14
2414	14
2414	14
2414	14
2414	14
2414	14
2414	14
2414	14
2414	14
148971	21.2
2414	21.2
2414	21.2
2414	21.2
2414	21.2
2414	21.2
2414	21.2
2414	21.2

2414	21.2
148972	30
2414	30
2414	30
2414	30
2414	30
2414	30
2414	30
2414	30
2414	30
2414	40
2414	40
2414	40
2414	40
2414	40
2414	40
2414	40
2414	40
2414	40